



HOSE REEL HOUSING - HRE100



FIRE PROTECTION

FIRE EXTINGUISHER BOXES	42
MILITARY GRADE BOXES	45
BREAK-GLASS KEY ACCESS BOXES	46
HOSE REEL BOXES	48
MOBILE FIRE RESPONSE UNIT	50
FIRE EXTINGUISHER TROLLEY	52
UTILITY SHELTER	53
FIRE EXTINGUISHER STANDS	54
ACCESSORIES	56
PALLETISATION	69

FIRE EXTINGUISHER BOXES

A range of strong, durable front and top loading boxes for 2-12 kg fire extinguishers, available in a choice of sizes and access options • Access options: plastic toggle(s) OR break-glass facility OR 'T' handle door lock OR rubber fastening toggles • Suitable for indoor / outdoor use • UV blocking moulded-in polycarbonate windows • Truck or wall mountable • Label(s) supplied loose • Automotive grade rubber seal • Left or right hinged mounting • Buckle web strap for securing fire extinguishers • Other colours available upon request - Min. order 10 pieces • For optional extras and accessories see pages 56-59.

SERIES 64, 65 & 75: Internal tension strap helps prevent movement of the cylinder • For extinguishers with a max. diameter of up to 170 mm (SERIES 64), 180 mm (SERIES 65) & 230 mm (SERIES 75) & max. height of 590 mm (SERIES 64), 600 mm (SERIES 65) & 710 mm (SERIES 75).

SERIES 64: Moulded-in fixing points for ease of fitment • Double-skinned lid with waterproof seal • Textured surface finish.

SERIES 73: Suitable for use with cartridge and / or horn extinguisher with a max. diameter of up to 200 mm & max. height of 610 mm.

SERIES 95: Designed primarily for a 5 kg CO₂ extinguisher with a large nozzle.

JFEX01: Strengthened base to accommodate extinguisher • Textured surface finish.

JFEX03: Ideal for use in truck cabs, houses, mobile homes etc.

SERIES	BUCKLE WEB STRAP	WINDOWS	WOODEN BASE PLATE	MOUNTING		FREE STANDING	DETACHABLE LID
				WALL	TRUCK/ TRAILER		
64, 65, 75	✗	✗	✗	✗	✓	✗	✗
68	✓	✗	✗	✓	✓	✗	✓
70, 73, 83	✓	✓	✗	✓	✓	✓	✗
72	✓	✓	✓	✓	✓	✓	✗
85, 90	✗	✓	✓	✓	✗	✓	✗
95	✗	✓	✗	✓	✗	✗	✗
JFEX	✗	✗	✗	✓	✗	✗	✓



JBWE70



JBDE72



JBTE68



JBWE70



SERIES 70

JBWB70 ● JBWE70 ● JBWR70 ●
JBXB70* ● JBWF70^ ● JBXE70* ●

H x W x D (mm): 700 x 320 x 255 (external)
H x W x D (mm): 625 x 260 x 195 (internal)
Box weight (kg): 4
Box type: Front loading
Extinguisher (kg): 6
Plastic toggles: ✓
Labels:

SERIES 72

JBDB72 ● JBDE72 ●

H x W x D (mm): 720 x 585 x 270 (external)
H x W x D (mm): 650 x 530 x 210 (internal)
Box weight (kg): 8
Box type: Front loading
Extinguisher (kg): 12 (2)
Plastic toggles: ✓
Labels:

SERIES 73

JBDB73 ● JBDE73 ● JBDR73 ●

H x W x D (mm): 730 x 435 x 290 (external)
H x W x D (mm): 625 x 350 x 225 (internal)
Box weight (kg): 6.5
Box type: Front loading
Extinguisher (kg): 12
Plastic toggles: ✓
Labels:



SERIES 83

JBXB83 ● JBXE83 ● JBXR83 ●
JBXF83^ ●

H x W x D (mm): 830 x 330 x 265 (external)
H x W x D (mm): 750 x 270 x 220 (internal)
Box weight (kg): 5.5
Box type: Front loading
Extinguisher (kg): 9-12
Plastic toggles: ✓
Labels:

SERIES 85

JBDB85 ● JBDE85 ● JBDR85 ●


H x W x D (mm): 850 x 565 x 375 (external)
H x W x D (mm): 760 x 530 x 300 (internal)
Box weight (kg): 12
Box type: Front loading
Extinguisher (kg): 12
'T' handle: ✓
Labels:

SERIES 90


JBKE90 ● JBKR90 ●

H x W x D (mm): 900 x 930 x 420 (external)
H x W x D (mm): 820 x 850 x 340 (internal)
Box weight (kg): 21
Box type: Front loading
Extinguisher (kg): 12 (2)
Break-glass: ✓
Labels:

*Includes internal rubber restraints • ^For wall mounting only, does not include buckle web strap.



BREAK-GLASS FITMENT




FACTORY FITTED ALARM

BREAK-GLASS FITMENT: The key for the cabinet is located behind a clear plate, which is held in place with two plastic fasteners. In an emergency, the clear plate can be broken away, providing access to the key for the cabinet. A new clear plate can be re-attached using the same plastic fasteners.

OPTIONAL FACTORY FITTED ALARM: A reed switch activated 95 dB self-contained 9 V alarm with three minute automatic reset upon activation. Alarm does not interfere with use of equipment. To order, add the letter 'A' after a part number, e.g. JBWE70A.




SERIES 64
JBFB64 ● JBFR64 ●

H x W x D (mm): 640 x 250 x 250
Box weight (kg): 3
Box type: Top loading
Extinguisher (kg): 6
Plastic toggle: ✓
Labels: 




SERIES 65
JBFB65 ● JBFR65 ●

H x W x D (mm): 650 x 260 x 275
Box weight (kg): 3.5
Box type: Top loading
Extinguisher (kg): 6
Plastic toggle: ✓
Labels: 




SERIES 75
JBFB75 ● JBFR75 ●

H x W x D (mm): 750 x 300 x 300
Box weight (kg): 6.5
Box type: Top loading
Extinguisher (kg): 9-12
Plastic toggle: ✓
Labels: 



SERIES 95
JBWB95 ● JBWE95 ● JBWR95 ●

H x W x D (mm): 950 x 445 x 280 (external)
H x W x D (mm): 915 x 360 x 195 (internal)
Box weight (kg): 9
Box type: Front loading
Extinguisher (kg): 5
Plastic toggles: ✓
Labels: 



SERIES 68
JBTB68 ● JBTE68 ●

H x W x D (mm): 680 x 260 x 260 (external)
H x W x D (mm): 585 x 230 x 220 (internal)
Box weight (kg): 3.5
Box type: Front loading
Extinguisher (kg): 6
Plastic toggle: ✓
Labels: 




SERIES JFEX
JFEX01 ●

H x W x D (mm): 640 x 250 x 145 (external)
H x W x D (mm): 560 x 190 x 120 (internal)
Box weight (kg): 2.3
Box type: Front loading
Extinguisher (kg): 6
Rubber toggles: ✓
Labels: N/A



SERIES JFEX
JFEX03 ●

H x W x D (mm): 415 x 210 x 145 (external)
H x W x D (mm): 405 x 185 x 120 (internal)
Box weight (kg): 1
Box type: Top loading
Extinguisher (kg): 2
Snap-fit lid: ✓
Labels: 

MILITARY GRADE BOXES

NATO approved fire extinguisher boxes • Available in NATO green • Independently drop and vibration tested (-35°C) • Strong and durable enough for military use • Label supplied loose • Fixing kits supplied as standard • Automotive grade rubber seal • UV blocking moulded-in polycarbonate window (SERIES 70) • Plastic toggle(s), lynch pin(s) and hinge pin(s) as standard • For optional extras and accessories see pages 56-59.


SERIES 65: Internal tension strap helps prevent movement of the cylinder • For extinguishers with a max. diameter of up to 180 mm & max. height of 600 mm.



JBFM65K (2)



SERIES 65 JBFM65K ●

H x W x D (mm): 650 x 260 x 275
Box weight (kg): 3.5
Box type: Top loading
Fixing kit: KIT55
NATO #: 6MT1/2540-99-0751-9118
Extinguisher (kg): 6
Plastic toggle: ✓
Labels: 


SERIES 70 JBWM70KZ ●

H x W x D (mm): 700 x 320 x 255 (external)
H x W x D (mm): 625 x 260 x 195 (internal)
Box weight (kg): 4
Box type: Front loading
Fixing kit: KIT56
NATO #: 6MT1/2540-99-891-7436
Extinguisher (kg): 6
Plastic toggles: ✓
Labels: 

BREAK-GLASS KEY ACCESS BOXES


A range of front loading lockable boxes with key access, key behind protective break-glass for added security • Suitable for indoor / outdoor storage of fire extinguishers, hose reels, breathing apparatus (see pages 56-57 for SCBA bracket), chemicals and spillage equipment • Wall mounted or free-standing • Automotive grade rubber seal • UV blocking moulded-in polycarbonate windows • Left or right hinged mounting • Plastic locks and key compartment with break-glass facility • Wooden base plate (SERIES 90) • Label supplied loose • Other colours available upon request - Min. order 10 pieces • For optional extras and accessories see pages 56-59.

The standard colour scheme for the 'K' Series is a red door with a black body. However, other colour schemes are available and are denoted by the third and fourth digit of the product coding: KB ● & KY ● - Min. order 5 pieces.






SERIES K70
JBKE70 ● JBKR70 ●

H x W x D (mm): 700 x 300 x 255 (external)
H x W x D (mm): 625 x 260 x 195 (internal)
Box weight (kg): 4
Box type: Front loading
Extinguisher (kg): 6
Break-glass: ✓
Labels: 




SERIES K72
JBKE72 ● JBKR72 ●

H x W x D (mm): 720 x 565 x 270 (external)
H x W x D (mm): 650 x 530 x 210 (internal)
Box weight (kg): 8
Box type: Front loading
Extinguisher (kg): 12 (2)
Break-glass: ✓
Labels: 




SERIES K83
JBKE83 ● JBKR83 ●

H x W x D (mm): 830 x 310 x 265 (external)
H x W x D (mm): 750 x 270 x 220 (internal)
Box weight (kg): 5.5
Box type: Front loading
Extinguisher (kg): 9-12
Break-glass: ✓
Labels: 





SERIES K85
JBKE85 ● JBKR85 ●

H x W x D (mm): 850 x 565 x 375 (external)
H x W x D (mm): 760 x 530 x 300 (internal)
Box weight (kg): 12
Box type: Front loading
Extinguisher (kg): 12
Break-glass: ✓
Labels: 





SERIES K90
JBKE90 ● JBKR90 ●

H x W x D (mm): 900 x 930 x 420 (external)
H x W x D (mm): 820 x 850 x 340 (internal)
Box weight (kg): 21
Box type: Front loading
Extinguisher (kg): 12 (2)
Break-glass: ✓
Labels:  



SERIES K95
JBKE95 ● JBKR95 ●

H x W x D (mm): 950 x 425 x 280 (external)
H x W x D (mm): 915 x 360 x 195 (internal)
Box weight (kg): 9
Box type: Front loading
Extinguisher (kg): 5
Break-glass: ✓
Labels: 



BREAK-GLASS FITMENT



FACTORY FITTED ALARM

BREAK-GLASS FITMENT: The key for the cabinet is located behind a clear plate, which is held in place with two plastic fasteners. In an emergency, the clear plate can be broken away, providing access to the key for the cabinet. A new clear plate can be re-attached using the same plastic fasteners.

OPTIONAL FACTORY FITTED ALARM: A reed switch activated 95 dB self-contained 9 V alarm with three minute automatic reset upon activation. Alarm does not interfere with use of equipment. To order, add the letter 'A' after a part number, e.g. JBKE70A.

HOSE REEL BOXES

A range of front loading boxes suitable for storage of various hose reel sizes • Fully encased or open back body • Suitable for indoor / outdoor use • Automotive grade rubber seal • Left or right hinged mounting • Other colours available upon request - Min. order 10 pieces • For optional extras and accessories see pages 56-59.

SERIES 56: Ideal for marine layflat hose • Woven strap to secure contents • Hose reel label supplied loose.

SERIES 85: 'T' handle door lock • UV blocking moulded-in polycarbonate windows • Wooden base plate • Hose reel label not supplied.

SERIES 90: Wall mounted or free standing • UV blocking moulded-in polycarbonate windows • Plastic locks and key compartment with break-glass facility • Wooden base plate • Hose reel label supplied loose.

SERIES 100: Ideal for harsh environments, e.g. abattoirs, chemical factories, marine environment, etc. • 'L' shaped door to allow hose reel to pivot through 140° • Plastic locks and key compartment with break-glass facility • Robust nylon hinges • Padlock / tamper strap facility (Padlock / strap not supplied) • Water inlet pipe aperture cut at installation for ideal fit • Lightweight - almost half the weight of steel versions - and easier to install • Hose reel label supplied loose.



HRE100



HRE100



HRE100



HRE100



SERIES 56
HRE56 ● HRR56 ●

H x W x D (mm): 610 x 500 x 190 (external)
H x W x D (mm): 500 x 395 x 140 (internal)
Box weight (kg): 5
Box type: Front loading
Fully encased: ✓
Open back: ✗
Labels:



SERIES 85
JBDE85 ● JBDR85 ●

H x W x D (mm): 850 x 565 x 375 (external)
H x W x D (mm): 760 x 530 x 300 (internal)
Box weight (kg): 12
Box type: Front loading
Fully encased: ✓
Open back: ✗
Labels:



SERIES 90
JBKE90 ● JBKR90 ●

H x W x D (mm): 900 x 930 x 420 (external)
H x W x D (mm): 820 x 850 x 340 (internal)
Box weight (kg): 21
Box type: Front loading
Fully encased: ✓
Open back: ✗
Labels:



SERIES 100
HRE100 ●

H x W x D (mm): 1000 x 1000 x 480 (external)
H x W x D (mm): 800 x 820 x 435 (internal)
Box weight (kg): 21.5
Box type: Front loading
Fully encased: ✗
Open back: ✓
Labels:



JBDE85



JBKE90



HRR56

MOBILE FIRE RESPONSE UNIT

SitePoint is a multi-purpose mobile unit, offering 100 litre capacity storage and display panel of 1060 x 580 mm • Highly customisable as a fire point response unit with Jonesco and third-party storage products, see our small container (p. 33) & fire (p. 40) ranges • Consumables sold separately • Suitable for indoor / outdoor use • Easy to assemble and disassemble • Large opening for easy access • Angled lid allows water to run off • Easy to clean • Stackable for easy transportation • Compatible with most forklifts • Ergonomic handles for ease of use • Solid rubber wheels (Ø 200 mm)^[1] • Generous mounting space^[2] • Tethering points^[3] • Foot recess to aid tipping and handling^[4] • 3 ground anchor points in the base^[5] • Lockable compartment (padlock not supplied) • Rubber seal and plastic toggle option • Laser logo service available • Backboard natural / white as standard.

When mounting accessories to the backboard use self-tapping screws. For heavier items bolt through the backboard, using suitable fixings and washers. Maximum weight for fixing products / consumables to the backboard: 8 kg each side uniformly distributed. In some circumstances, the **SitePoint** may need to be tethered or anchored to the ground, or weighed down with ballast, such as sand bags or concrete blocks.



HS1-BB1-RE



HS1NL-BB1-RE, JFEX03 & 1005-CORE



HS1-BB1-RE



HS1P-BB1-RE, JFEX03 & 1005-CORE



HS1-BB1-RE

H x W x D (mm): 1725 x 755 x 595
 Weight (kg): 26.5
 Capacity (ℓ): 100
 Forklift access: ✓
 A x B (mm): 1060 x 580
 C x D (mm): 265 x 570
 Plastic toggle: ✗








HS1P-BB1-RE

H x W x D (mm): 1725 x 755 x 595
 Weight (kg): 26.5
 Capacity (ℓ): 100
 Forklift access: ✓
 A x B (mm): 1060 x 580
 C x D (mm): 265 x 570
 Plastic toggle: ✓



HS1NL-BB1-RE

H x W x D (mm): 1725 x 755 x 595
 Weight (kg): 26.5
 Capacity (ℓ): 100
 Forklift access: ✓
 A x B (mm): 1060 x 580
 C x D (mm): 265 x 570
 Plastic toggle: N/A



FIRE EXTINGUISHER TROLLEY

FireKart: An elegant, innovative mobile fire point for 2 extinguishers (including CO₂) • max. combined weight of extinguishers: 30 kg • Ideal for petrol forecourts, garages, construction sites, indoor / outdoor events, harbours, campsites, etc. • Allows for highly visible alarm fitment of various shapes & sizes to the front of the unit^[1] • Signage / label area at the top^[1] • Extinguisher cradles for stable transport^[2] • Fixing slots to accommodate multiple extinguishers and bracket types, hooks supplied (KIT109)^[3] • Base with drainage slot, designed for various fire bucket sizes & shapes^[4] • Solid rubber wheels (Ø 200 mm) • Optimized centre of gravity - easy to move, pull or push • Rear design allows unit to slide up / down a step smoothly • For extinguishers with a max. diameter of 200 mm.




WEX01-CORE



WEX01-CORE



WEX01-CORE



WEX01-CORE ●

H x W x D (mm): 1300 x 500 x 465
Weight (kg): 11

UTILITY SHELTER

Large shelter for wheeled fire extinguishers and other utility equipment • Highly visible • Ideal for airports, factories, leisure sites, refineries etc. • Suitable for indoor / outdoor use • Use the pre-drilled fixing points to secure the unit where appropriate (fixings not supplied) • Light & easy to maintain • Designated label area, label supplied loose • Other colours available upon request - Min. order 20 pieces.

JES146-SC1: Soft cover door for self-fitment • Made from polyester 1100 Dtex (1000) Denier.



JES146-CORE



JES146-CORE



JES146-CORE ●




JES146-SC1 ●



JES146-CORE

H x W x D (mm): 1460 x 1060 x 1595

Weight (kg): 32.5

Labels: 

H x W (mm): 1460 x 1060

FIRE EXTINGUISHER STANDS

A range of single, double and triple fire extinguisher stands • These fire stands keep extinguishers off the floor, offer a clear visual marker in emergency, and deter theft or movement of extinguishers to an unapproved position • Suitable for all portable extinguishers • Ideal for public buildings, offices, hotels, exhibitions, etc. • Non-slip design • Immediate access in case of emergency • Strong and durable • Modern ergonomic design • Labels not included • For optional extras and accessories see pages 56-59.

JFP6: Triple stand • Combination of JFP3 & JFP4 • Supplied in one box for self-assembly • Assembly kit included.

JFP7: Suitable for 1 x 6-9 kg extinguisher and 1 x 2 kg CO₂ extinguisher.

JFP9 & JFP10: Suitable for all flat-bottomed 6-12 kg extinguishers and 2 kg CO₂ extinguishers • Cost saving flat pack design • Easy snap-fit assembly • Adjustable strap available for CO₂ extinguishers (KIT108).

JFPINSERT: Fire stand insert for smaller diameter extinguishers • Suitable for use with JFP1, JFP2, JFP7 & JFP8 • Ideal for extinguisher with a diameter less than 165 mm.



JFP7-MG10



JFP1



JFP4



JFP9-MG10



JFPINSERT ● JFPINSERT-MG10 ●

Height (mm):	105
Diameter (mm):	225
Weight (kg):	0.5
Max diameter (mm):	165
Labels:	N/A
Fire extinguisher:	1



JFP1 ● JFP1-MG10 ●

H x W x D (mm): 200 x 345 x 345
Weight (kg): 1.7
Max diameter (mm): 225
Labels: x
Fire extinguisher: 1



JFP2 ● JFP2-MG10 ●

H x W x D (mm): 150 x 645 x 320
Weight (kg): 3.3
Max diameter (mm): 225
Labels: x
Fire extinguisher: 2



JFP3 ● JFP3-MG10 ●

H x W x D (mm): 750 x 320 x 300
Weight (kg): 2.6
Max diameter (mm): 240
Labels: x
Fire extinguisher: 1



JFP4 ● JFP4-MG10 ●

H x W x D (mm): 750 x 620 x 300
Weight (kg): 5.2
Max diameter (mm): 240
Labels: x
Fire extinguisher: 2



JFP6 ● JFP6-MG10 ●

H x W x D (mm): 750 x 940 x 300
Weight (kg): 7
Max diameter (mm): 240
Labels: x
Fire extinguisher: 3



JFP7 ● JFP7-MG10 ●

H x W x D (mm): 620 x 480 x 270
Weight (kg): 3.6
Max diameter (mm): 195 / 125
Labels: x
Fire extinguisher: 2



JFP8 ● JFP8-MG10 ●

H x W x D (mm): 620 x 310 x 265
Weight (kg): 2.5
Max diameter (mm): 195
Labels: x
Fire extinguisher: 1



JFP9 ● JFP9-MG10 ●

H x W x D (mm): 645 x 290 x 300
Weight (kg): 1.8
Max diameter (mm): 195
Flat-packed: ✓
Labels: x
Fire extinguisher: 1



JFP10 ● JFP10-MG10 ●

H x W x D (mm): 645 x 500 x 300
Weight (kg): 3
Max diameter (mm): 195
Flat-packed: ✓
Labels: x
Fire extinguisher: 2